

SAFETY DATA SHEET

Page 1 of 3

Garage Floor Coating Kit Resin

Revision 0
Revision date

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name Garage Floor Coating Kit Resin

Company Resinfloorcoatingsuk.com Ltd
White Rose House
28A York Place
Leeds
West Yorkshire
LS1 2EZ

Telephone +44 (0)1422 379131

Fax +44 (0)1422 370943

2 HAZARDS IDENTIFICATION.

Main hazards No Significant Hazard

3 . COMPOSITION / INFORMATION ON INGREDIENTS.

4. FIRST AID MEASURES

Skin contact Wash off immediately with plenty of soap and water.

Eye contact Rinse immediately with plenty of water for 15 minutes holding the eyelids open.

Inhalation No data is available on this product.

Ingestion Seek medical attention.

General information None.

5. FIRE FIGHTING MEASURES

Unsuitable Extinguishing Water.

Media

Suitable extinguishing media Foam, CO2 or dry powder. Water mist.

Special protective equipment for fire-fighters No special.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions None.

Environmental precautions Do not introduce in waterways or ground water.

Clean up methods Absorb with inert, absorbent material.

Garage Floor Coating Kit Resin

Revision 0
Revision date

7. HANDLING AND STORAGE

Information on Safe Handling	Do not bring in contact with strong oxidizing agents.
Information on Fire and Explosion Protection	Difficulty inflammable. Avoide open fires.
Requirements for Storage	Steel containers (tanks)
Rooms and packaging	
Materials	
Further information on Storage Requirements	Store at a temperature of + 10oC to +30oC and dark quality protection.
Storage classification	None.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures	None.
Respiratory protection	Not necessary.
Hand protection	Not necessary.
Eye protection	Not necessary.
Further information	None.
Ingredients with threshold limit values	None.
General protective and hygiene measures	Normal washing or showering. Keep working cloth seperate from normal clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Liquid.
Colour	Various.
Odour	Nearly Odourless.
Flash point	255°C
Viscosity	Flow Time in 3mm ISO cup (ISO 2431)

10. STABILITY AND REACTIVITY

Conditions to avoid	None.
Materials to avoid	Do not bring in contact with strong oxidizing agents.
Hazardous decomposition products	In air from about 300oC. Acroleine.
Further information	When use properly only very slow decomposition. Dehydrated at: abt. 200oC.

11. TOXICOLOGICAL INFORMATION

Sensitization	No data is available on this product.
Skin contact	None.
Eye contact	None.
Further information	None.

Garage Floor Coating Kit Resin

Revision 0
Revision date

12. ECOLOGICAL INFORMATION

Further information	Sustance not hazardous to water according to the topical german VwVws.
Comment	Biodegradability in RDA-test > 60%; Heightens the chemical and biological oxygen demand in water. Lessens the water penetration in earth. Seperate with an oil or grease separator if necessary.
Aquatic Toxicity	Fish toxicity LC50 (96h):> 1000 mg/l.
Behaviour in Purification	Bacteria toxicity EC10 (Ps. putida): 54 000 mg/l.
Plants	

13. DISPOSAL CONSIDERATIONS

General information	Refuse incineration, speacial waste dump with allowance from local officials.
Soiled Packaging	Clean with base.
Recommended Cleansing	Suds, detergent.
Agent	

14. TRANSPORT INFORMATION

ADR/RID	Not necessary as to the above mentioned transport regulations.
IMDG	Not necessary as to the above mentioned transport regulations.
IATA	Not necessary as to the above mentioned transport regulations.
Further information	None.

15. REGULATORY INFORMATION

Risk phrases	NSH - No Significant Hazard.
---------------------	------------------------------

16. OTHER INFORMATION